

Report No. 0001103451/10 AZ 551153
Test item: One sample of adhesive
Identification: Lignofix VO tip-3
Condition at delivery: No claim
Place of testing: Cologne
Test scope: Parameters selected by customer
Test specification: IKEA IOS-MAT-0003 Vers. AA-10899-15 dated 2020-07-06

tested by:

X



Sachverständige(r)/Expert
Signiert von: Ralf Meier

authorized by:

X



Sachverständige(r)/Expert
Signiert von: Meike Schmidt

Photo documentation

Picture 1: Lignofix VO tip-3



List of materials

Article	Articlename:
1	Lignofix VO tip-3

Mat. No.	Article	Component	Material	Colour
001	1	basic material	adhesive	white

Results

Formaldehyde

Sample composition	Mat. 001				
Sample No.	551153-001				
Unit	mg/kg				
Formaldehyde	120				

Limit value: 600 mg/kg Formaldehyde in liquid ready-to-use glue mixture

Summary of methods

Formaldehyde	Standard: ISO 15373	Issue date: 01.08.01
Method description: Determination of free formaldehyde in polymer dispersions according to ISO 15373 - method A, by photometric determination after aqueous extraction		

Version directory

Version No.	Report No.	List of changes	Date
1	0001103451/10 AZ 551153	First edition	

Only the version last shown in the version directory is valid. The previous version(s) shown in the table lose their validity immediately and must be returned or destroyed by the customer.

----End of report----